



# OFFSET/IN-LINE SHREDDERS

TRINCIATRICI LATERALI-TRINCIARGINI  
BROYEURS D'ACCOTEMENT MULTIFONCTIONS  
SEITLICHER SCHLEGELMÄHER  
TRITURADORAS LATERALES MULTIUSO



Uomini, idee, macchine.



# The range



Available for tractors from 20 up to 220 HP

- I Disponibili per trattori da 20 a 255 cv
- F Disponibles pour tracteurs de 20 à 255 cv
- D Verfügbar für Traktoren von 20 bis 255 PS
- E Disponibles para tractores de 20 a 255 cv

I La gamma F La gamme D Die Auswahl E La gama

## Extra Master



## Extra Master XL


	
STD 540 rpm	40 - 60
cm	210 - 225 - 250
Ø max cm	4
	2-8



## Master



## Super Master

	
STD 540 rpm	40 - 90
cm	160 - 180 - 200
Ø max cm	4
	3-8







## Hyper Master

	
STD 540 rpm	80 - 120
cm	180-200-220-250
∅ max cm	5
	3-8





## Hyper Master XL

	
STD 540 rpm	60 - 80
cm	160 - 175 - 190
∅ max cm	6
	2-7




## Switch Master L

	
STD 540 rpm	50 - 75
cm	160 - 175 - 190
∅ max cm	4
	2-7







## EXTRA MASTER . EXTRA MASTER XL . MASTER SUPER MASTER . HYPER MASTER . HYPER MASTER XL SWITCH MASTER L . SWITCH MASTER XL




EXTRA MASTER		
210	225	250
A: cm 86	cm 86	cm 86
B: cm 151	cm 160	cm 191
C: cm 212	cm 221	cm 252
D: cm 215	cm 215	cm 215
E: cm 283	cm 292	cm 323




EXTRA MASTER XL		
210	225	250
A: cm 68	cm 68	cm 68
B: cm 198	cm 207	cm 237
C: cm 212	cm 221	cm 252
D: cm 206	cm 206	cm 206
E: cm 330	cm 339	cm 369




MASTER		
160	180	200
A: cm 58	cm 58	cm 58
B: cm 104	cm 123	cm 142
C: cm 162	cm 181	cm 200
D: cm 184	cm 184	cm 184
E: cm 272	cm 291	cm 310




SUPER MASTER		
160	180	200
A: cm 15	cm 15	cm 15
B: cm 147	cm 166	cm 185
C: cm 162	cm 181	cm 200
D: cm 184	cm 184	cm 184
E: cm 310	cm 329	cm 348



HYPER MASTER			
180	200	220	250
A: cm 60	cm 60	cm 60	cm 60
B: cm 122	cm 140	cm 159	cm 189
C: cm 182	cm 200	cm 219	cm 249
D: cm 185	cm 185	cm 185	cm 185
E: cm 255	cm 273	cm 292	cm 322



HYPER MASTER XL			
180	200	220	250
A: cm 10	cm 10	cm 10	cm 10
B: cm 172	cm 190	cm 209	cm 239
C: cm 182	cm 200	cm 219	cm 249
D: cm 185	cm 185	cm 185	cm 185
E: cm 306	cm 324	cm 343	cm 373



SWITCH MASTER L						
mod.	E	F	G	H	I	L
	cm	cm	cm	cm	cm	cm
160	135	91	91	140	135	295
160	135	91	91	154	135	310
160	135	91	91	166	135	325

SWITCH MASTER XL				
mod.	E	F	G	I
	cm	cm	cm	cm
150	139	85	74	128
175	139	85	74	128
200	139	85	74	128
260	139	85	74	128





## SAFETY DEVICE

● SICUREZZA MECCANICA ● SÉCURITÉ MÉCANIQUE ● MECHANISCHE SICHERHEIT ● SEGURIDAD MÉCANICA

### MASTER / SUPER MASTER / HYPER MASTER / HYPER MASTER XL


#### 3 POINT HITCH

● ATTACCO A 3 PUNTI OSCILLANTE ● ATTELLAGE À 3 POINTS OSCILLANTE ● MANCA ● MANCA

### EXTRA MASTER / EXTRA MASTER XL

#### FIXING PLATES

● PIASTRE ● CHAPES ● PLATTEN ● PLAGAS



### EXTRA MASTER / EXTRA MASTER XL

#### FLOATING CONNECTING ROD

● BIELLA OSCILLANTE ● CHAPE FLOTTANTE ● SCHWIMMKURBELSTANGE ● BISAGRA OSCILANTE


### MASTER / SUPER MASTER / HYPER MASTER / HYPER MASTER XL

#### INNER REINFORCED PINS

● PERNI CON RINFORZO INTERNO ● TOURILLONS AVEC RENFORT INTERNE  
● SPINDEL MIT HINNERER VERSTÄRKUNG ● PERNOS CON REFUERZO INTERNO



### SWITCH MASTER L













### SWITCH MASTER XL



## ROTORS

1 ROTORI 2 ROTORS 3 ROTOREN 4 ROTORES

	∅		
	mm	mm	RPM
EXTRA MASTER	159	410	2078
EXTRA MASTER XL	159	410	2111
MASTER	159	400	2290
SUPER MASTER	159	400	2290
HYPER MASTER	193,7	440	1910
HYPER MASTER XL	193,7	440	1910
SWITCH MASTER L	159	410	2250
SWITCH MASTER XL	168,3	420	2092

								
	U	S	M	40	50	120	KPT	SG
EXTRA MASTER	●	●	●	○	○	○	○	○
EXTRA MASTER XL	●	●	●	○	○	○	○	○
MASTER	○	○	○	●	●	○	○	○
SUPER MASTER	○	○	○	●	●	○	○	○
HYPER MASTER	○	○	○	○	○	●	○	○
HYPER MASTER XL	○	○	○	○	○	●	○	○
SWITCH MASTER L	●	●	●	○	○	○	○	○
SWITCH MASTER XL	○	○	○	○	○	○	●	●

## ROLLERS

1 RULLI 2 ROULEAUX 3 WALZEN 4 RODILLOS



EXTRA MASTER	∅ 140
EXTRA MASTER XL	∅ 140
MASTER	∅ 140
SUPER MASTER	∅ 140
HYPER MASTER	∅ 168
HYPER MASTER XL	∅ 168
SWITCH MASTER L	∅ 140
SWITCH MASTER XL 150-175-200	∅ 160
SWITCH MASTER XL 250	∅ 194

## SKIDS

1 SLITTE 2 PATINES 3 KUFEN 4 PATINES



**STANDARD:**  
EXTRA MASTER  
EXTRA MASTER XL  
SWITCH MASTER L  
SWITCH MASTER XL

**OPTION:**  
MASTER  
SUPER MAST  
HYPER MASTER  
HYPER MASTER XL



## GEARBOX WITH FREE WHEEL

1 SCATOLA INGRANAGGI CON RUOTA LIBERA  
2 BOÎTIER AVEC ROUE LIBRE  
3 GETRIEBE MIT FREILAUF  
4 CAJA ENGRANAJES CON RUEDA LIBRE

## WITH BELT TENSIONER

1 CON TENDICINGHIA 2 AVEC TENDEUR DE CORROIES  
3 MIT RIEMENSANNER 4 CON TENSOR DE CORREAS

MASTER / EXTRA MASTER / SUPER MASTER  
HYPER MASTER / SWITCH MASTER L



## WITH AUTOMATIC BELT TENSIONER

1 CON TENDICINGHIA AUTOMATICA  
2 AVEC TENDEUR DE CORROIES AUTOMATIQUE  
3 MIT AUTOMATISCHEN RIEMENSANNER  
4 CON TENSOR DE CORREAS AUTOMÁTICO

EXTRA MASTER XL / SWITCH MASTER XL

## COUNTER BLADES

1 CONTRO-COLTELLO 2 CONTRE-COUTEAUX 3 GEGENHESSER 4 CONTRA-CUCHILLA



MASTER / SUPER MASTER  
HYPER MASTER / HYPER MASTER XL



EXTRA MASTER / EXTRA MASTER XL  
SWITCH MASTER L / SWITCH MASTER XL



## FRONT PROTECTIONS

1 PROTEZIONI FRONTALI 2 PROTECTIONS AVANT 3 VORDERSCHUTZE 4 PROTECCIONES DELANTERAS



### STANDARD

FLAPS - BANDELLE - PLAQUES - PLATTEN - PLACAS

### ONLY ON REQUEST

1 SOLO SU RICHIESTA 2 SOULEMENT SUR DEMANDE 3 NUR AUF ENFRAGE 4 SÓLO A PETICION  
CHAINS - CATENE - CHAINES - KETTEN - CADENAS

## FRAME WITH WEAR AND TEAR METAL SHEET

1 TELAIO CON LAMIERA INTERNA D'USURA 2 CHASSIS AVEC TÔLE INTERNE D'USÉE  
3 RAHMEN MIT VERBRAUCHBLECH 4 BASTIDOR CON CAPA SUPLEMENTARIA

### STANDARD:

SWITCH MASTER XL

## WELDED COUNTER-KNIFE

1 CONTRO COLTELLO SALDATO SUL TELAIO 2 CONTRE-COUTEAU SOUDÉ SUR LE CHASSIS  
3 GEGENMESSER GESCHWISSEN AUF DEM RAHMEN 4 CONTRA-CUCHILLA SALDADA SOBRE EL BASTIDOR

### STANDARD:

MASTER XL	EXTRA MASTER XL
SUPER MASTER	EXTRA MASTER L
HYPER MASTER	SWITCH MASTER L
HYPER MASTER XL	SWITCH MASTER XL

## TWO LEVER DISTRIBUTOR

1 DISTRIBUTORE A DUE LEVE 2 DISTRIBUTEUR Á DEUX LEVIERS 3 ZWEI-HEBEL VERTEILER 4 DISTRIBUIDOR A DOS PALANCAS



### FOR TRACTORS EQUIPPED WITH A SINGLE HYDRAULIC DISTRIBUTOR ONLY

1 PER TRATTORI DOTATI DI UN SOLO DISTRIBUTORE OLEODINAMICO  
2 POUR TRACTEUR AVEC UN SEUL DISTRIBUTEUR HYDRA  
3 FÜR TRAKTOREN MIT EINEM EINZIGEN HYDRAULISCHEN VERTEILER AUSGESTATTEN  
4 PARA TRACTORES EQUIPADOS CON UN ÚNICO DISTRIBUIDOR HIDRÁULICO


### AVAILABLE ONLY

1 DISPONIBILE SOLAMENTE 2 DISPONIBLE SEULEMENT  
3 NUR FÜR 4 DISPONIBLE SÓLO

EXTRA MASTER  
EXTRA MASTER XL

## SHOCKPROOF HYDRAULIC SAFETY DEVICE

1 VALVOLA DI SICUREZZA ANTICHOC 2 SOUPAPE DE SÉCURITÉ ANTICHOCS  
3 ANTI-SCHOCK SICHERHEITVENTILE 4 VALVOLA DE SEGURIDA ANTICHOQUES



### STANDARD:


EXTRA MASTER  
EXTRA MASTER L

### OPTION:

MASTER  
SUPER MASTER  
HYPER MASTER  
HYPER MASTER XL

## SHOCKPROOF DEVICE WITH AUTOMATIC RETRACTION

1 DISPOSITIVO ANTICHOC CON RIENTRO IDRAULICO AUTOMATICO 2 DISPOSITIF ANTICHOCS AVEC EFFACEMENT HYDRAULIQUE AUTOMATIQUE  
3 ANTI-SCHOCK SICHERHEITVENTILE MIT HYDRAULISCHER ANFAHRSICHERUNG 4 DISPOSITIVO ANTICHOQUES CON ENTRADA HIDRAULICA AUTOMÁTICA



### STANDARD:

EXTRA MASTER  
EXTRA MASTER L



### OPTION:

MASTER  
SUPER MASTER  
HYPER MASTER  
HYPER MASTER XL



MOD.		540	1000	U	S	M	40	50	120	KPT	SG	N.	
EXTRA MASTER 210	40 - 60	•	-	56	28	28	-	-	-	-	-	-	670
EXTRA MASTER 225	45 - 60	•	-	64	32	32	-	-	-	-	-	4	692
EXTRA MASTER 250	50 - 60	•	-	80	40	40	-	-	-	-	-	-	770
EXTRA MASTER XL 210	40 - 60	•	-	56	28	28	-	-	-	-	-	-	760
EXTRA MASTER XL 225	45 - 60	•	-	64	32	32	-	-	-	-	-	4	795
EXTRA MASTER XL 250	50 - 60	•	-	80	40	40	-	-	-	-	-	-	873
MASTER 160	40 - 90	•	-	-	-	-	14	42	-	-	-	-	600
MASTER 180	50 - 90	•	-	-	-	-	16	48	-	-	-	4	630
MASTER 200	60 - 90	•	-	-	-	-	18	54	-	-	-	-	650
SUPER MASTER 160	40 - 90	•	-	-	-	-	14	42	-	-	-	-	600
SUPER MASTER 180	50 - 90	•	-	-	-	-	16	48	-	-	-	4	635
SUPER MASTER 200	60 - 90	•	-	-	-	-	18	54	-	-	-	-	660
HYPER MASTER 180	80 - 120	•	-	-	-	-	-	-	16	-	-	-	980
HYPER MASTER 200	80 - 120	•	-	-	-	-	-	-	18	-	-	-	1020
HYPER MASTER 220	90 - 120	•	-	-	-	-	-	-	20	-	-	4	1070
HYPER MASTER 250	90 - 120	•	-	-	-	-	-	-	22	-	-	-	1120
HYPER MASTER XL 180	80 - 120	•	-	-	-	-	-	-	16	-	-	-	990
HYPER MASTER XL 200	80 - 120	•	-	-	-	-	-	-	18	-	-	4	1030
HYPER MASTER XL 220	90 - 20	•	-	-	-	-	-	-	20	-	-	-	1070
HYPER MASTER XL 250	90 - 120	•	-	-	-	-	-	-	22	-	-	-	1110
SWITCH MASTER L 160	50 - 75	•	-	48	24	24	-	-	-	-	-	-	762
SWITCH MASTER L 175	55 - 75	•	-	56	28	28	-	-	-	-	-	4	787
SWITCH MASTER L 1190	60 - 75	•	-	56	28	28	-	-	-	-	-	-	805
SWITCH MASTER XL 150	60 - 75	•	-	-	-	-	-	-	-	12	48	-	918
SWITCH MASTER XL 175	65 - 75	•	-	-	-	-	-	-	-	16	48	5	963
SWITCH MASTER XL 200	70 - 75	•	-	-	-	-	-	-	-	20	64	-	996
SWITCH MASTER XL 260	75 - 80	•	-	-	-	-	-	-	-	24	80	-	1121

• Di serie  
- Non disponibile



### SISTEMA OSCILLANTE

Ⓛ DISPONIBILE SOLAMENTE Ⓧ DISPONIBILE SEULEMENT  
Ⓛ NÜR FÜR Ⓧ DISPONIBILE SÓLO

MASTER  
SUPER MASTER  
HYPERMASTER  
HYPERMASTER XL

