



HATTAT STAGE V PRODUCT CATALOGUE



Hattat Traktör, an organization of Hattat Group, operating in the areas of automotive and construction machinery industry since 1973, is established in 1998. Having started production activities and R&D works in 2002 for producing 100% local tractor in Cerkezkoy, Tekirdag, Hattat Traktör started mass production of first Hattat branded tractor in 2007 with its experienced engineer and qualified work force, considering the needs of developing agricultural industry.

Forming the vital parts of the tractors produced by Hattat Traktör, transmission, differential, rear axle, 4WD front axle, entire hydraulic lifter unit, hydraulic pump, hydraulic valves, hydraulic brake master cylinder and all other hydraulic equipment are produced in the Cerkezkoy plants by Hattat Group.

As Hattat Traktör, models produced with a horse power ranging between 50-125 have been presented for taste of foreign farmers following the Turkish farmers. It obtained a high market share in a short time period with ergonomic garden, compact and field models having advanced technology and low fuel consumption. Rated with all farmers in a very short time period in the overseas market, Hattat Traktör has received the awards of tractor of the year and cab design of the year in Poland in 2010. Returning with first degree in all competitions attended, Hatta Traktör has been considered worth of the awards of plough champion in Ireland in 2011, inLatvia in 2013, Silver Medal in Moldova Moldagrotech Fair in 2014 and the Tractor of the Year in Poland with new T4000 series in 2016.

Also, as a result of the 'Technical Cooperation' agreement signed in 2003 with Valtra, being one of the most important tractor brands in the world, Hattat Traktör has become the distributor of Valtra in Turkey. As a consequence of the second technical cooperation agreement signed in 2007, Valtra A series tractors started to be produced in Turkey and sold Worldwide.

Selling tractors under Hattat brand to more than 80 countries in 5 continents, Hattat Traktör takes firm steps forward for being a global brand.



## **HATTAT FIELD SERIES**

T 4075 / T 4085 / T 4095 / T 4105 / T 4115 / T 4125 - Stage V



Model	T4075	T4085	T4095	T4105	T4115	T4125
	4WD	4WD	4WD	4WD	4WD	4WD
Engine	FPT	FPT	FPT	FPT	FPT	FPT
Emission Level	Stage V	Stage V	Stage V	Stage V	Stage V	Stage V
Engine Type	F28TCA	F28TCA	F28TCA	F28TCA	F36	F36
Max. Engine Power [kW/hp/rpm] [ISO14396]	50/68/2300	55/75/2300	67/91/2300	75/102/2300	83/113/2200	90/122/2300
Max. Engine Torque [Nm/rpm]	323/1400	375/1400	382/1500	415/1500	460/1400	490/1400
Cylinder Volume [cm³/number of cylinders]	2797/4	2797/4	2797/4	2797/4	3595/4	3595/4
Cylinder Diameter x Stroke [mm]	91x108	91x108	91x108	91x108	102x110	102x110
Air Filter System	Dry air filter with clogging indicator	Dry air filter with clogging indicator	Dry air filter with clogging indicator	Dry air filter with clogging indicator	Dry air filter with clogging indicator	Dry air filter with clogging indicat
Air Intake	Turbo&Intercooler	Turbo&Intercooler	Turbo&Intercooler	Turbo&Intercooler	Turbo&Intercooler	Turbo&Intercooler
uel Tank [It]	120	120	120	120	130	130
Ad Blue Tank [It]			16	16	16	16
ransmission						
lumber of Gears	12 Forward + 12 Reverse	12 Forward + 12 Reverse	24 Forward + 24 Reverse	24 Forward + 24 Reverse	24 Forward + 24 Reverse Semi Automatic	24 Forward + 24 Reverse Semi Auto
Slutch	Dry Type Dual Disc	Dry Type Dual Disc	Dry Type Dual Disc	Dry Type Dual Disc	Electro Hydraulic Wet Type	Electro Hydraulic Wet Type
lax. Speed [km/h]	40	40	40	40	40	40
ower Shuttle	CARL PROPERTY OF LAND				Standart Electronic	Standart Electronic
ower Shift					Standart 2 Speed	Standart 2 Speed
Ower Strict					ounsur, z opesu	Ominant a open
Offerantial Lock	Electro Hydraulic	Electro Hydraulic	Electro Hydraulic	Electro Hydraulic	Electro Hydraulic	Electro Hydraulic
WD Traction	Electro Hydraulic	Electro Hydraulic	Electro Hydraulic	Electro Hydraulic	Electro Hydraulic	Electro Hydraulic
WD Traction TO	Electro Hydraulic	Electro Hydraulic	Electro Hydraulic	Electro Hydraulic	Electro Hydraulic	Electro Hydraulic
ype	Independent Dual Speed	Independent Dual Speed	Independent Dual Speed	Independent Dual Speed	Independent Dual Speed	Independent Dual Speed
ront PTO Speed [rpm]	540-540E	540-540E	540-540E	540-540E	540-540E	540-540E
ront PTO Speed [rpm]	1000	1000	1000	1000	1000	1000
Rear Axle and Brakes	4		7			
Rear Braking System	Multi Pads, wet type and hydraulic	Multi Pads,wet type and hydraulic			Multi Pads,wet type and hydraulic	Multi Pads,wet type and hydrau
Parking Brake	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
WD Engagement System With Brake	Standard	Standard	Standard	Standard	Standard	Standard
Hydraulics and Rear 3-point Hitch						
Max. Hydraulic Flow / Pump Pressure [(lt/min)/bar]	45/190	45/190	65/190	65/190	80/190	80/190
uctions	Position, Draw, Sensitivity	Position, Draw, Sensitivity	Position, Draw, Sensitivity	Position, Draw, Sensitivity	Position, Draw, Sensitivity	Position, Draw, Sensitivity
Auto Lift	Standard	Standard	Standard	Standard	Standard	Standard
tydraulic Remote [Out/valve]	6/3	6/3	8/4	8/4	8/4	8/4
Max. Lifting Capacity [kg]	3000	3000	4500	4500	5500	5500
.ift Control	Electro Hydraulic	Electro Hydraulic	Electro Hydraulic	Electro Hydraulic	Electro Hydraulic	Electro Hydraulic
lydraulic Remote on Fender	Mechanical, Controlled with Button	Mechanical, Controlled with Button	Mechanical, Controlled with Button	Mechanical Controlled with Button	Mechanical, Controlled with Button	
Neights and Dimensions	BOOK OF THE REAL PROPERTY OF THE PROPERTY OF T					Mechanical, Controlled with Butt
				mechanical, comboned with button	mechanical, Controlled with Button	Mechanical, Controlled with Butt
shipping Weight (kg)	4130		4250		4800	
	4130	4130	4250	4250	4800	4800
ront Weight [number x kg]	10x22	4130 10x22	4250 10x40	4250 10x40	4800 12x40	4800 12x40
ront Weight (number x kg) lear Weight (number x kg)	10x22 2x70	4130 10x22 2x70	4250 10x40 2x70/2x80	4250 10x40 2x70/2x80	4800 12x40 4x70/4x80	4800 12x40 4x70/4x80
Front Weight (number x kg) Rear Weight (number x kg) Fotal Lenght With Front Weights (mm)	10x22 2x70 4291	4130 10x22 2x70 4291	4250 10x40 2x70/2x80 4291	4250 10x40 2x70/2x80 4291	4800 12x40 4x70/4x80 4531	4800 12x40 4x70/4x80 4531
ront Weight (number x kg) Rear Weight (number x kg) Cotal Lenght With Front Weights (mm) Wheelbase (mm)	10x22 2x70 4291 2391	4130 10x22 2x70 4291 2391	4250 10x40 2x70/2x80 4291 2391	4250 10x40 2x70/2x80 4291 2391	4800 12x40 4x70/4x80 4531 2507	4800 12x40 4x70/4x80 4531 2507
ront Weight (number x kg) Rear Weight (number x kg) Cotal Lenght With Front Weights (mm) Wheelbase (mm) Front Track Width (mm)	10x22 2x70 4291 2391 1210-1440	4130 10x22 2x70 4291 2391 1210-1440	4250 10x40 2x70/2x80 4291 2391 1210-1440	4250 10x40 2x70/2x80 4291 2391 1210-1440	4800 12x40 4x70/4x80 4531 2507 1210-1440	4800 12x40 4x70/4x80 4531 2507 1210-1440
ront Weight (number x kg) Rear Weight (number x kg) Total Lenght With Front Weights (mm) Wheelbase (mm) Front Track Width (mm) Rear Track Width (mm)	10x22 2x70 4291 2391 1210-1440 1440-1560	4130 10x22 2x70 4291 2391 1210-1440 1440-1560	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1560	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1560	4800 12440 4x70/4x80 4531 2507 1210-1440 1440-1560	4800 12x40 4x7014x80 4531 2507 1210-1440 1440-1560
Front Weight (number x kg) Rear Weight (number x kg) Total Lenght With Front Weights (mm) Wheelbase (mm) Front Track Width (mm) Rear Track Width (mm) Total Width (mm)	10x22 2x70 4291 2391 1210-1440 1440-1560 2040	4130 10x22 2x70 4291 2391 1210-1440 1440-1560 2040	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1560 2040	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1560 2040	4800 12240 4x70/4x80 4531 2507 1210-1440 1440-1560 2040	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560 2040
ront Weight (number x kg)  Rear Weight (number x kg)  rotal Lenght With Front Weights (mm)  Wheelbase (mm)  ront Track Width (mm)  Rear Track Width (mm)  rotal Width (mm)  rotal Height (mm)	10x22 2x70 4291 2391 1210-1440 1440-1560	4130 10x22 2x70 4291 2391 1210-1440 1440-1560	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1560	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1560	4800 12440 4x70/4x80 4531 2507 1210-1440 1440-1560	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560
ront Weight [number x kg] tear Weight [number x kg] otal Lenght With Front Weights [mm] wheelbase [mm] ront Track Width [mm] tear Track Width [mm] otal Width [mm] otal Height [mm]	10x22 2x70 4291 2391 1210-1440 1440-1560 2040 2821	4130 10x22 2x70 4291 2391 1210-1440 1440-1550 2040 2821	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1550 2040	4250 10x40 2x7072x80 4291 2391 1210-1440 1440-1560 2040 2821	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560 2040 2917	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560 2040 2917
ront Weight [number x kg] lear Weight [number x kg] otal Lenght With Front Weights [mm] wheelbase [mm] ront Track Width [mm] lear Track Width [mm] otal Width [mm] otal Width [mm] otal Height [mm] yres option [front]	10x22 2x70 4291 2391 1210-1440 1440-1560 2040 2821	4130 10x22 2x70 4291 2391 1210-1440 1440-1560 2040 2821 340/85R24	4250 10x40 2x707z80 4291 2391 1210-1440 1440-1560 2040 2821	4250 10x40 2x70/2x80 4291 2381 1210-1440 1440-1560 2040 2821	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560 2040 2917	4800 12x40 4x70/4x80 4551 2507 1210-1440 1440-1560 2040 2917
ront Weight [number x kg] lear Weight [number x kg] otal Lenght With Front Weights [mm] wheelbase [mm] ront Track Width [mm] lear Track Width [mm] otal Width [mm] otal Width [mm] otal Height [mm] yres option [front]	10x22 2x70 4291 2391 1210-1440 1440-1560 2040 2821 12.4-24 13.6-36	4130 10x22 2x70 4291 2391 1210-1440 1440-1560 2040 2821 340/85R24 340/85R38	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1560 2040 2821 340/85824 420/85834	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1560 2040 2821 320/85R28 380/85R38	4800 12x40 4x704x80 4531 2507 1210-1440 1440-1560 2040 2917 380/85R28 460/85R38	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560 2040 2917 380/85R28 460/85R38
ront Weight [number x kg]  tear Weight [number x kg]  otal Lenght With Front Weights [mm]  Wheelbase [mm]  ront Track Width [mm]  tear Track Width [mm]  otal Weight [mm]  otal Height [mm]  yres  option [front]  option [rear]	10x22 2x70 4291 2391 1210-1440 1440-1560 2040 2821 12.4-24 13.6-36 11,2-24	4130 10x22 2x70 4291 2391 1210-1440 1440-1560 2040 2821 340/85R24 340/85R38 340/85R24	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1560 2040 2821 340/85R24 420/85R34 320/85R28	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1580 2040 2821 320/85R28 380/85R38 320/85R28	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560 2040 2917 380/85R28 460/85R38	4800 12x40 4x7014x80 4531 2507 1210-1440 1440-1560 2040 2917 380/85R28 460/85R38
ront Weight [number x kg]  lear Weight [number x kg]  rotal Lenght With Front Weights [mm]  Wheelbase [mm]  ront Track Width [mm]  lear Track Width [mm]  rotal Width [mm]  rotal Height [mm]  yes  option [front]  option [front]	10x22 2x70 4291 2391 1210-1440 1440-1560 2040 2821 12.4-24 13.6-36	4130 10x22 2x70 4291 2391 1210-1440 1440-1560 2040 2821 340/85R24 340/85R38	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1560 2040 2821 340/85824 420/85834	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1560 2040 2821 320/85R28 380/85R38	4800 12x40 4x704x80 4531 2507 1210-1440 1440-1560 2040 2917 380/85R28 460/85R38	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560 2040 2917
Front Weight (number x kg) Rear Weight (number x kg) Total Lenght With Front Weights (mm) Wheelbase (mm) Front Track Width (mm) Rear Track Width (mm) Fotal Width (mm) Fotal Height (mm) Fytes Loption (front) Loption (rear) Loption (rear)	10x22 2x70 4291 2391 1210-1440 1440-1560 2040 2821 12.4-24 13.6-36 11,2-24	4130 10x22 2x70 4291 2391 1210-1440 1440-1560 2040 2821 340/85R24 340/85R38 340/85R24	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1560 2040 2821 340/85R24 420/85R34 320/85R28	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1580 2040 2821 320/85R28 380/85R38 320/85R28	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560 2040 2917 380/85R28 460/85R38	4800 12x40 4x7014x80 4531 2507 1210-1440 1440-1560 2040 2917 380/85R28 460/85R38
Front Weight [number x kg]  Rear Weight [number x kg]  Fotal Lenght With Front Weights [mm]  Front Track Width [mm]  Front Track Width [mm]  Fotal Width [mm]  Fotal Height [mm]  Fotal Height [mm]  Fotal Height [mm]  Fotal Height [mm]  Fotal Front  Loption [front]  Loption [front]  Loption [front]  Loption [front]  Loption [front]  Loption [front]	10x22 2x70 4291 2391 1210-1440 1440-1550 2040 2821 12.4-24 13.6-36 11.2-24 16.9-30	4130 10x22 2x70 4291 2391 1210-1440 1440-1560 2040 2821 340/85R24 340/85R38 340/85R34	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1560 2040 2821 340/85R24 420/85R34 320/85R38 380/85R38	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1560 2040 2821 320/85R28 380/85R38 320/85R28	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560 2040 2917 380/85R28 460/85R38 420/85R24 420/85R24	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560 2040 2917 380/85R28 460/85R38 420/85R24 420/85R38
ront Weight (number x kg)  Rear Weight (number x kg)  rotal Lenght With Front Weights [mm]  Vivelbase [mm]  ront Track Width [mm]  Rear Track Width [mm]  rotal Weight [mm]  rotal Height [mm]  rotal Height [mm]  rotal Height [mm]  option [front]	10x22 2x70 4291 2391 1210-1440 1440-1550 2040 2821 12.4-24 13.6-36 11.2-24 16.9-30 340/85824	4130 10x22 2x70 4291 2391 1210-1440 1440-1560 2040 2821 340/85R24 340/85R24 340/85R24 320/85R28	4250 10x40 2x707x80 4291 2391 1210-1440 1440-1560 2040 2821 340/85724 420/85734 320/85728 380/85738 320/85728	4250 10x40 2x7072x80 4291 2391 1210-1440 1440-1560 2040 2821 320/85F28 380/85F38 320/85F28 460/85F34 380/70F24	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560 2040 2917 380/85728 460/85738 420/85724 420/85738 340/85728	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560 2040 2917 380/85R28 460/85R38 420/85R24 420/85R38 340/85R28
Shipping Weight [kg] Front Weight [number x kg] Rear Weight [number x kg] Fotal Lenght With Front Weights [mm] Wheelbase [mm] Front Track Width [mm] Fotal Track Width [mm] Fotal Width [mm] Fota	10x22 2x70 4291 22391 1210-1440 1440-1560 2040 2821 12.4-24 13.6-36 11.2-24 16.9-30 340/85R38	4130 10x22 2x70 4291 2391 1210-1440 1440-1560 2040 2821 340/85R24 340/85R24 420/85R38 340/85R24 420/85R34 320/85R38	4250 10x40 2x707z80 4291 2391 1210-1440 1440-1560 2040 2821 340/85R24 420/85R34 320/85R28 380/85R28 380/85R38 320/85R28	4250 10x40 2x70/2x80 4291 2381 1210-1440 1440-1560 2040 2821 320/85R28 380/85R38 320/85R28 460/85R34 380/70R24 480/70R34	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560 2040 2917 380/85R28 460/85R38 420/85R24 420/85R38 340/85R28 420/85R38	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560 2040 2917 380/85R28 460/85R38 420/85R38 340/85R28 420/85R38
Front Weight [number x kg]  Rear Weight [number x kg]  Fotal Lenght With Front Weights [mm]  Wheelbase [mm]  Front Track Width [mm]  Rear Track Width [mm]  Fotal Weight [mm]  Fotal Height [mm]  Fotal Height [mm]  Jytes  Loption [front]  Loption [rear]  Loption [rear]  Loption [rear]  Loption [rear]  Loption [ront]  Loption [rear]  Loption [rear]  Loption [rear]  Loption [rear]  Loption [rear]	10x22 2x70 4291 2391 1210-1440 1440-1550 2040 2821 12.4-24 13.6-36 112-24 16.9-30 340/85R24 340/85R38 360/70R24	4130 10x22 2x70 4291 2391 1210-1440 1440-1560 2040 2821 340/85R24 340/85R38 340/85R34 320/85R34 320/85R34 320/85R38 380/85R38	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1560 2040 2821 340/85R24 420/85R34 320/85R28 380/85R38 320/85R28 460/85R34 380/70R24	4250 10x40 2x70/2x80 4291 2391 1210-1440 1440-1560 2040 2821 320/85R28 380/85R38 320/85R38 460/85R34 380/70R24 480/70R34 340/85R24	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560 2040 2917 380/85R28 460/85R38 420/85R24 420/85R38 340/85R28	4800 12x40 4x70/4x80 4531 2507 1210-1440 1440-1560 2040 2917 380/85R28 460/85R38 420/85R34 420/85R38 340/85R28 420/85R38

## /GR(B)AZIS

